

PRODUCT SHEET / 2019 01 20

# Contour Floor

Floor screen

Design: Brad Ascalon




# Contour Floor

Floor screen

Design: Brad Ascalon

It is simple and soothing in its shape. The changing scales emote a sense of nature, like a series of trees in which one is certainly not exactly like the next. The greater the combination of different scaled units, the less one feels like he or she is in an office, but rather in the open, in nature. Contour Floor allows for a focused work mode in that 1) it softens ambient sound, and 2) it masks the visual disruptions of a space to allow for a feeling of privacy both individually and within a small work group.

## DIMENSIONS



Thickness: 33 mm

## DESCRIPTION

Frame: 6 mm sound absorbing polyether (Oeko-Tex) glued on both sides of a 19 mm sound-reducing lightweight MDF.

Upholstery: Furniture nailed with fabric on both sides. The nail is hidden by a decorative piping.

Wheel stand. 11 mm molded ash on a 19 mm gray painted bottom plate.

Mounting: The wheel stand is mounted before use.

100% recyclable materials.

## FABRIC AND PIPING

Look in Product sheet Fabric and piping.pdf for our standard fabrics, you can download it here: <http://glimakra.com/en/download/>.

## OPTIONS

Wheel stand in natural ash or stain.

The wheel stand builds 26 mm.

# Contour Floor

Floor screen

Design: Brad Ascalon



## CERTIFICATES

Glimakra of Sweden AB is certified according to ISO 9001:2015 and ISO 14001:2015.



## SPECIFICATION TEXT

E.g: Contour Floor screen 871 x 1769 x 33 mm. On wheel stand.

2 x 6 mm sound absorbing polyether on both sides of an 19 mm sound reducing light weight MDF board.

Fabric: One side: Blazer CUZ 28. On the other side: Blazer CUZ 30. Nails hidden by piping.

PRODUCT SHEET / 2019 01 20

# Contour Floor

Floor screen

Design: Brad Ascalon

